

[05 – 2115]

II/IV B.E. DEGREE EXAMINATION.

First Semester

Electronics and Communication Engineering

MATHEMATICS — III

(Effective from the Admitted Batch of 2013–2014)

Time : Three hours

Maximum : 70 marks

Part A is compulsory.

Answer any FOUR from Part B.

All questions carry equal marks.

PART A

1. (a) Define Circulation.
- (b) If $\vec{f}(t)$ has a constant magnitude then prove that $\vec{f} \cdot \frac{d\vec{f}}{dt} = 0$.
- (c) Eliminate f from $z = x + y + f(xy)$.
- (d) Solve : $(D^2 - D'^2 - 3D + 3D')z = 0$.

8. (a) Solve the integral equation

$$\int_0^{\infty} f(x) \cos \lambda x \, dx = e^{-\lambda} \quad \text{and hence show that}$$

$$\int_0^{\infty} \frac{\cos \lambda x}{1+x^2} \, dx = \frac{\pi}{2} e^{-\lambda}.$$

(b) Using Parseval's identity, show that

$$\int_0^{\infty} \frac{dt}{(t^2+1)^2} = \frac{\pi}{4}.$$

- (e) Distinguish between steady and unsteady states condition in one dimensional heat flow equation.
- (f) Find the finite Fourier cosine transform of $f(x) = 2$, $0 < x < \pi$.
- (g) State the convolution theorem for Fourier transform.

PART B

2. (a) If r and \bar{R} have their usual meanings and \bar{A} is a constant vector, then prove that
- $$\nabla \times \left(\frac{\bar{A} \times \bar{R}}{r^n} \right) = \frac{2-n}{r^n} \bar{A} + \frac{n(\bar{A} \cdot \bar{R})}{r^{n+2}} \bar{R}.$$
- (b) Find the values of a , b and c so that the directional derivative of $f = axy^2 + byz + cz^3x^3$ at $(1, 2, -1)$ has a maximum magnitude 64 in a direction parallel to the Z -axis.
3. (a) Use Green's theorem to evaluate $\oint_c (x^2 + xy) dx + (x^2 + y^2) dy$, where c is the square formed by the lines $x = \pm 1$, $y = \pm 1$.
- (b) Use divergence theorem to evaluate $\iiint_S (x dy dz + y dx dz + z dx dy)$, where S is the portion of the plane $x + 2y + 3z = 6$ which lies in the first octant.

4. (a) A fluid motion

$$V = (y \sin z - \sin x)i + (z \sin z + 2yz)j + (xy \cos z + y^2)k.$$

Is the motion irrotational? If so find the velocity potential.

(b) Solve: $\left(\frac{b-c}{a}\right)yzp + \left(\frac{c-a}{b}\right)xzq = \left(\frac{a-b}{c}\right)xy.$

5. (a) Solve: $9(p^2z + q^2) = 4.$

(b) Solve: $(D^2 - 2DD' + D'^2)z = x^2y^2e^{x+y}.$

6. (a) Solve the wave equation $\frac{\partial^2 u}{\partial t^2} = 4 \frac{\partial^2 u}{\partial x^2}$ under the conditions $u(0, t) = u(10, t) = 0$ for all t ; $u(x, 0) = 0$ and $\left(\frac{\partial u}{\partial t}\right)_{t=0} = 3 \sin 2\pi x - 2 \sin 5\pi x.$

(b) Derive the solution of Laplace's equation in polar coordinates.

7. (a) Express the function $f(x) = \begin{cases} 1, & \text{for } |x| \leq 1 \\ 0, & \text{for } |x| > 1 \end{cases}$ as a Fourier integral. Hence evaluate

$$\int_0^{\infty} \frac{\sin \lambda \cos \lambda x}{\lambda} d\lambda.$$

(b) Find the Fourier sine transform of $\frac{e^{-ax}}{x}.$